


6B PH 000154 WO PCT	DOSSIER WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau
------------------------------	---



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : H04N 5/445	A1	(11) International Publication Number: WO 98/28912
		(43) International Publication Date: 2 July 1998 (02.07.98)
(21) International Application Number: PCT/IB97/01416		(81) Designated States: JP, KR, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).
(22) International Filing Date: 10 November 1997 (10.11.97)		<b>Published</b> <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(30) Priority Data: 08/772,080 20 December 1996 (20.12.96) US		
(71) Applicant: PHILIPS ELECTRONICS N.V. [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL).		
(71) Applicant (for SE only): PHILIPS NORDEN AB [SE/SE]; Kottbygatan 7, Kista, S-164 85 Stockholm (SE).		
(72) Inventors: CHERIAN, Lisa; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). LAMBOURNE, Robert, Andrew; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). ROBERTS, Guyjames; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).		
(74) Agent: SCHMITZ, Herman, J., R.; Internationaal Octrooibureau B.V., P.O. Box 220, NL-5600 AE Eindhoven (NL).		

(54) Title: USER INTERFACE FOR TELEVISION



## (57) Abstract

A user interface for a screen-oriented electronic device includes a rotating menu of options. Options are highlighted and therefore selectable as they rotate past a fixed position on the screen. A remote is shown for use with the menu.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## USER INTERFACE FOR TELEVISION

### BACKGROUND OF THE INVENTION

#### Field of the Invention

The invention relates to the field of user interfaces for an electronic device having a screen.

#### Related Art

5

Time Warner Corporation field tested a prototype system called FSN, documented in "Technology Ready for Prime Time", TIME (Domestic), 12/26/94, vol. 144, #26 and on the worldwide web at

10 <http://pathfinder.com/@@6J5I0gcAT1QAglyH/Corp/divisions/fsn/00>. This system featured a rotating menu with buttons that moved past the cursor.

### SUMMARY OF THE INVENTION

The object of the invention is to create an improved user interface.

15

This object is achieved with a rotating menu. The menu has a perspective which allows a highlighted option to appear to be in front. Some of the options rotate off the screen so that a variable number can be added.

In a further embodiment a display of the actual status of a highlighted device is displayed on the user interface.

20

### BRIEF DESCRIPTION OF THE DRAWING

The invention will now be described by way of non-limitative example with reference to the following drawings.

25

Fig. 1 shows a system in which the invention can be used.

Fig. 2 shows television screen displaying a menu according to the invention.

Fig. 3 shows a remote for controlling the menu.

Fig. 4 shows a television screen showing an agent.

Fig. 5 shows a rotating perspective menu with shadows.

Fig. 6 shows a tool menu.

## 5 DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Fig. 1 shows a home entertainment system in which the invention can be used. The system includes a TV 101, a VCR 102, a set top box 103, a CD-I player 104, and a camera 106. Any of these items is optional, except that some device with a screen, such as a TV or PC, is needed to display the menu of the invention. Other items might also be included depending on what kind of home entertainment devices are desired. A controller 105 for the display is also needed. This controller might be a separate device such as a processor or it might be part of one of the devices, such as the television. The menu of the invention might be created using software on a processor or using hardware, such as an ASIC.

Fig. 2 shows a television screen displaying a menu according to the invention. The menu is a sort of carousel which rotates on the screen. The menu is displayed in a perspective which creates an apparent plane of rotation of the menu. The apparent plane of rotation is not parallel to the face of the screen. Because of the apparent plane of rotation, a highlighted option appears to be in front. This makes the highlighted option easier to find. Also, the perspective makes the menu options closer together than they would be on the FSN system, so that the user does not need to scan as much of the screen for options. While the menu is actually elliptical, the menu appears to be in a circle, because of the perspective. Additionally, a perspective which allows the user to look "down" on the menu, gives the user a sense of control.

In order to maintain perspective, the appearance of the menu options needs to change during rotation of the menu. For instance, the boxes of the menu of Fig. 2 change in size, shape, and apparent orientation during rotation. These changes include the closer boxes looking larger and the boxes on the sides seeming to turn about the center.

The sense of perspective can be heightened by depicting shadows 501 under the boxes, as shown in Fig. 5.

Preferably, the center of the apparent circle is off center on the screen, so that at least one menu option can be rotated off the screen. Because at least one menu option is rotated off the screen, any number of menu options can be added to the menu without

affecting the shape of the display. This facilitates adding additional items to the menu or the system without complicating the display.

At the center of the display, is a picture in picture (PIP) feature. When a particular option is highlighted, a status indication for that option can be displayed in the PIP. The status indication can take the form of a preview. For instance, if the VCR is highlighted, the PIP can display what the VCR is playing or recording. Alternatively, the PIP might contain some text summary of the status of or a menu for the highlighted device.

The menu options can be displayed in any fashion desired. They can, for instance, be boxes, as shown, or icons, or letters.

During operation of the menu, the options rotate, with a selectable option appearing highlighted at the bottom front, as the TV option is shown highlighted in Fig. 2.

Once an option is selected, the screen turns to displaying information regarding control of the device corresponding to that option. For instance, the screen might display a further rotating menu for controlling the selected device. Alternatively, the screen might display some other menu relating to the selected device. Still another alternative might be that the user would have to pick up a remote relating to that other device.

A menu of the sort shown can be created using standard software tools such as Stratavision 3D or Macromedia Director. Such software packages allow entry of three dimensional models. Animation can be created by asking the software for sequential views, which can be put together in sequence. Highlighting can be created by changing color of the menu options on the screen.

Fig. 4 shows an additional optional feature of the menu. This feature is display of an agent 401. Agents are known software devices which carry out some request of the user. For instance, the agent might search the internet, via the set top box, for items of interest to the user. In the illustrated case, the agent has found a movie service that it thinks the user might want to watch and is asking the user whether s/he wants to preview that service. If the user answers yes, the agent will take control of the system and create the desired result.

In this display, the agent is humanoid and asking a question which can be answered yes or no. One of ordinary skill in the art might display the agent in any convenient way.

Fig. 3 shows a remote for use with the invention. The remote includes buttons for controlling the rotating menu, along with other items of the system. The buttons for controlling the rotating menu include a first button 301 for rotating the options in a first

direction and a second button 302 for rotating the options in a second direction. Arrows on the buttons indicate the direction of rotation. The left button 302 indicates clockwise rotation while the right button 301 indicates counterclockwise rotation.

The buttons 301 and 302 form a curve. Inside the curve is a third button 303 for selecting a currently highlighted menu item. The other buttons appearing on the remote are optional. One of ordinary skill in the art might determine any convenient arrangement of buttons. Those chosen in Fig. 3 are listed in the following table:

TABLE

Reference Numeral	Button function
304	disconnects a current service
305	turns on picture in picture display
306	turns on the record function of the VCR
307	stops the VCR
308	answers "yes" to the question of the agent
309	answers "no" to the question of the agent
310	requests tools, such as a help function or other information service
311	returns to the main menu, e.g. Fig. 2

Fig. 6 shows an example of what might be displayed if button 310 were pressed. One of ordinary skill in the art might devise any convenient or pleasant looking tool menu, according to what is appropriate for the particular application.

In general eliminating buttons on a remote tends to make that remote easier to use. Accordingly, it may be preferable to have most options selectable with a menu and only essential buttons on the remote. Those of ordinary skill in the art will design the remote with those buttons that are best for particular applications.

While the preferred embodiment here relates to controlling a television, the

concepts shown here might relate to a menu on any device with a display.

From reading the present disclosure, other modifications will be apparent to persons skilled in the art. Such modifications may involve other features which are already known in the design, manufacture and use of screen devices and remotes and which may be used instead of or in addition to features already described herein. Although claims have been formulated in this application to particular combinations of features, it should be understood that the scope of the disclosure of the present application also includes any novel feature or novel combination of features disclosed herein either explicitly or implicitly or any generalization thereof, whether or not it mitigates any or all of the same technical problems as does the present invention. The applicants hereby give notice that new claims may be formulated to such features during the prosecution of the present application or any further application derived therefrom.

## CLAIMS

1. An electronic device comprising
  - at least one display;
  - a controller arranged to cause the display to show a rotating menu comprising a plurality of menu options, which menu is disposed off center in the display so that at least one option rotatable off the display at any one time, whereby an arbitrary number of options may be added to the menu without changing its format.
2. An electronic device comprising
  - at least one display
  - a controller arranged to cause display to show a rotating menu comprising a plurality of menu options, wherein the menu is displayed with a perspective in which the menu appears to be in an apparent plane which is not parallel with the screen.
3. The device of claim 2 wherein a highlighted menu option appears in a portion of the apparent plane which appears to be closest to a user.
4. The electronic device of claim 2 wherein the menu comprises a selection position and one of the menu options is selectable when that option rotates to the selection position.
5. The electronic device of claim 2 wherein the menu comprises a region where a status indication for a selectable device is displayed.
6. The electronic device of claim 5 wherein menu options are disposed along an apparent curve and the region is disposed within the curve.
7. The electronic device of claim 5 wherein the region is a picture in picture.
8. The electronic device of claim 7 wherein
  - the device is a television;
  - the menu options include control of a VCR connected to the television; and
  - the picture in picture displays a tape being played on the VCR.
9. The electronic device of claim 7 wherein



- the device is a television;
- the menu options include control of a VCR connected to the television; and
- the picture in picture displays a broadcast being recorded on the VCR.

10. The electronic device of claim 1 wherein the device is a television and the menu options relate to control of the television and devices connected to the television.

11. The electronic device of claim 2 wherein the device is a television and the menu options relate to control of the television and devices connected to the television.

12. The electronic device of claim 2 further comprising a remote for controlling selection amongst the menu options.

13. The electronic device of claim 12 wherein the remote includes a button for causing rotation of the menu in a direction.

14. The electronic device of claim 13 wherein the button is for causing rotation of the menu by one option per push.

15. The electronic device of claim 13 wherein the remote further comprises a second button for causing rotation of the menu in a second direction opposite to the direction.

16. The electronic device of claim 13 wherein the remote further comprises a selection button for selecting a currently highlighted menu option.

17. The electronic device of claim 12 wherein the remote comprises first and second buttons for causing rotation of the menu in first and second directions, respectively, which first and second buttons are curved in shape; and a third button for selecting a currently highlighted menu option, which third button is located inside a curve defined by the first and second buttons.

18. The electronic device of claim 12 comprising at least one button for responding to an agent appearing on the screen.

19. The electronic device of claim 2 wherein the display also displays an agent for suggesting options to a user.

20. The electronic device of claim 19 wherein the agent is displayed as a humanoid figure asking a question.

21. The electronic device of claim 2 wherein the menu options are displayed as solid objects and shadows are displayed beneath the objects, whereby a sense of perspective is increased.

22. The electronic device of claim 2 wherein the perspective is achieved by changing either the shape or the size of at least one of the menu options.

23. A remote for use with a television, which television displays a menu of rotating options, the remote comprising:

5 a first button for rotating the options in a first direction; and  
a second button for selecting a currently highlighted one of the options.

24. The remote of claim 23 comprising a third button for rotating the options in a second direction, the first and third buttons forming a curve, and the second button being disposed within the curve.

10 25. The remote of claim 23 comprising at least one third button for controlling or responding to an agent appearing on the screen.

26. A remote for controlling an electronic device which has a screen, the remote including a plurality of buttons for controlling respective functions of the electronic device, at least one of the buttons being for controlling or responding to an agent running on  
15 the electronic device.

1/5




FIG. 1

2/5




FIG. 2





FIG. 3

3/5



401

FIG. 4



5/5




FIG. 6

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 97/01416

## A. CLASSIFICATION OF SUBJECT MATTER

IPC6: H04N 5/445

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

## \* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"B" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&amp;" document member of the same patent family

Date of the actual completion of the international search

5 June 1998

Date of mailing of the international search report

12 -06- 1998

Name and mailing address of the ISA/

Swedish Patent Office

Box 5055, S-102 42 STOCKHOLM

Facsimile No. +46 8 666 02 86

Authorized officer

Michel Gascoin

Telephone No. +46 8 782 25 00